

About this document


This is a guide only and should be used in conjunction with cladding suppliers documentation and E2/AS1. It is not intended as a step by step instruction to ensure building weather tightness.


Rinnai accepts no responsibility for building weather tightness issues arising from installation of a Rinnai flue system.

Horizontal flue penetrations through walls

In general¹ these should be treated as a standard pipe penetration.

Refer to the cladding suppliers documentation on pipe penetrations of their proprietary cladding system. Alternatively refer to E2/AS1 figures 68 and 126, these have been reproduced below for ease of reference.





In summary:

Cut building wrap Cut building wrap to suit pipe.

Attach flexible flashing tape

Cut a square of flexible flashing tape at least 100 mm larger all round than the pipe. Slide over the pipe and seal to building

wrap.

Seal flashing tape Seal flashing tape to pipe with a tape bandage with at least 25

mm overlap onto the pipe.

Seal cladding to pipe Seal cladding to pipe using a sealant complying with 9.1.9.3 (a or

b) on a foam bond breaker.

¹ For single skin flues with high surface temperatures, such as the Rinnai Infinity HD250 Internal, the flue should pass through a suitable collar (installed as above) of sufficient diameter to maintain required clearances to combustibles.