

**1 IDENTIFICATION OF THE PRODUCT AND OF THE SUPPLIER**

Product Name	BOSTIK HANDY WIPES
Hazard Statement	Not classified as Hazardous according to HSNO in New Zealand. Not classified as a Dangerous Good according to NZS5433:1999 Transport of Dangerous Goods on Land.
Recommended Use	Pre-moistened towels for tool and hand cleaning.
Supplier	Bostik New Zealand Limited
Street Address	19 Eastern Hutt Road, Wingate, Lower Hutt, New Zealand
Telephone	++64 4 567 5119
Facsimile	++64 4 567 5412
Website	www.bostik.co.nz
Emergency Telephone Number	National Poisons Centre 0800 POISON or 0800 764 766
Emergency Response	In New Zealand 0800 CHEMCALL or 0800 243 622 In Australia 1800 033 111 Globally ++64 3 353 0199

2 HAZARDS IDENTIFICATION

Hazard Statement	Not hazardous
Precautions	Keep out of reach of children.
HSNO Classifications	Not applicable

3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Proportion
Linear alcohol ethoxylate	34398-01-1	Low
Sodium xylene sulphonate	1300-72-7	Low
Ethoxylated alkyl amine	68478-95-5	Low
Non-hazardous materials	-	Balance to 100%

High = >60% Medium = 10% - 60% Low = 1% - 10% Very Low = < 1%

4 FIRST AID MEASURES

Poisoning is unlikely with this product. If necessary contact the National Poison Centre:
New Zealand 0800 POISON or 0800 764 766.

First Aid

Inhalation	Not applicable.
Skin Contact	Product is intended for skin contact, but not for excessively prolonged use. Discontinue use if irritation occurs.
Eye Contact	Hold open and flood gently with water. Remove contact lenses promptly if present and easy to do. Get medical advice if irritation persists.
Ingestion	Rinse mouth well with water. Do not induce vomiting, give a glass of water to dilute and get medical advice immediately. Never give anything by mouth to an unconscious patient. If vomiting occurs give further water.
Advice to Physician	Treat symptomatically.

5 FIRE FIGHTING MEASURES

Type of Hazard	Slight
HAZCHEM Code	Not applicable
Unsuitable Extinguishing Media	Not applicable
Precautions for Firefighters	Wear full protective equipment, including self contained breathing apparatus.

6 ACCIDENTAL RELEASE MEASURES

For large spills wear protective equipment to prevent skin and eye contamination. Contain leaks or washings to prevent run off into drains and waterways.

Very small quantities of wash water may be poured onto soil well clear of waterways. Otherwise ensure wash water discharges to sewer only. Do not allow wash water to enter storm-water drains.

7 HANDLING AND STORAGE

Storage	Store in a cool, dry, well ventilated place out of direct sunlight. Keep containers closed when not in use. Check regularly for leaks. Keep out of reach of children.
----------------	---

8 EXPOSURE CONTROLS / PERSONAL PROTECTION**Workplace Exposure Guidelines**

Substance	WES-TWA	WES-STEL
None established	-	-

Engineering Controls Natural ventilation should be adequate under normal conditions of use.

Personal Protection Equipment Safety glasses (if working at or above head height), rubber gloves if frequent or prolonged skin contact is likely.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Purple cloth impregnated with a clear to slightly hazy, colourless to slightly yellow liquid.
Odour	Citrus
Boiling Point °C	Approximately 100°C (water based liquid)
Specific Gravity	1.0 approximately for the liquid
pH	Not determined
Solubility in Water	Miscible
VOC content (% by weight)	<1

10 STABILITY AND REACTIVITY

Stability of substance	This material is thermally stable when stored and used as directed.
Conditions to avoid / Hazardous reactions	None known.
Incompatible materials	Strong Acids.
Hazardous decomposition products	A complex mixture of airborne solids, liquids and gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal degradation.

11 TOXICOLOGICAL INFORMATION

No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation	Not likely to occur as water is the only significant vapour.
Skin contact	Repeated or prolonged contact may lead to irritation.
Eye contact	May be an eye irritant.
Ingestion	Swallowing can result in nausea and vomiting.
Long term effects	No information available.

12 ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Ecotoxicity	Not classified as Ecotoxic under HSNO.
Persistence and degradability	The product is expected to biodegrade slowly.
Mobility	Highly soluble in water.

13 DISPOSAL CONSIDERATIONS

Substance Disposal	Dispose of in an authorised landfill. Do not dispose of liquid portion down drains or into local waterways. Liquid portion may be diluted and run to trade waste sewer.
Container Disposal	Recycle or reuse if possible, or dispose of in an authorised landfill.
Local Legislation	Disposal should be in accordance with applicable regional and national laws and regulations.

14 TRANSPORT INFORMATION**Land Transport**

Not classified as Dangerous Goods by the criteria of NZS 5433:1999 Transport of Dangerous Goods on Land for transport by road or rail.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15 REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive, other regulations may apply.

Environmental Risk Management Authority (ERMA) Group Standard Number: N/A

Hazardous Substances and New Organisms Act (HSNO): N/A

16 OTHER INFORMATION

SDS Revisions Safety Data Sheets are updated at least every 5 years. This is not a controlled document. Obtain the latest version at www.bostik.co.nz.

Reason for Issue First issue

SDS Distribution The information in this document should be made available to all who may handle this product.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use the product in the workplace. Since Bostik New Zealand Limited cannot anticipate or control the conditions under which the product may be used, each user must review this SDS prior to usage, and in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact Bostik New Zealand Limited.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is available upon request.

Key / Legend

SDS	Safety Data Sheet
HSNO	Hazardous Substances and New Organisms Act 1996
WES-TWA	The time-weighted average exposure standard, designed to protect the worker from possible effects of long-term exposure.
WES-STEL	The 15 minute average exposure standard. This applies to any 15 minute period in a working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to WES-TWA; both the short-term and time-weighted average exposures apply.

Disclaimer This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.